

AMBER-SABER TRAFFIC ADVISOR BARS

HIGH-VISIBILITY LOW-PROFILE LED BARS



MODEL TAS-48A (48-INCHES)



REAR STUD SURFACE-MOUNTING



MODEL TAS-40A (40-INCHES)



**INSTALLS ON WINDSHIELD, FRONT OR REAR BUMPER
POWERFUL 3 WATT LEDS IN 18 WATT STROBING MODULES**

SPECIFICATIONS

- 12 Volts D.C. Operation
- Built-in 12 Selectable flash patterns and directional pattern
- Sealed to IP67 Standard
- Flash and director patterns include: "Pass-Left", "Pass-Right", Wig-Wag etc.
- Full-feature controller with 20ft extension cord

TRITON 3 YEAR LIMITED WARRANTY

FULL-SIZED LIGHT BARS



FULL-SIZE 45-INCH LED LIGHT BAR TSB-4512

**ADJUSTABLE SPIDER-LEGS
FOR FLEXIBLE MOUNTING CONFIGURATION.**



45" x 12" x 5" (L/W/H)

TYPICAL APPLICATIONS:


- UTILITY TRUCKS
- CONSTRUCTION TRUCKS.
- PICKUP TRUCKS.

**AMBER MODEL: TSB-4512A
AMBER/WHITE MODEL TSB-4512AC**

FEATURES

- 11 Selectable Flash Patterns
- 164 COB High-Intensity LED's.
- Power Level: SAE Class-1.
- Voltage: 10 to 32 Volts DC.
- Base and Mounting Feet: Aluminum.

Adjustable Spider Legs



TRITON 5-YEAR LIMITED WARRANTY

SHARK™ STROBE-BAR

FULL-SIZE 54-INCH LOW-PROFILE LED LIGHT BAR TSB-5308



**FULL-SIZE SAE CLASS-1
LED LIGHT BAR**

**AERODYNAMIC SLEEK PROFILE
ADJUSTABLE SPIDER-LEGS
FOR FLEXIBLE MOUNTING
CONFIGURATION.**


TYPICAL APPLICATIONS:

- UTILITY TRUCKS
- CONSTRUCTION TRUCKS.
- PICKUP TRUCKS.

FEATURES:

- 10 Different, Selectable Flash Patterns.
- 136 COB High-Intensity LED's.
- Power Level SAE Class-1.
- Voltage: 10 to 32 Volts DC.
- Base and Mounting Feet: Aluminum.

Adjustable Spider Legs



**ADJUSTABLE SPIDER-LEGS
FOR FLEXIBLE MOUNTING CONFIGURATION.**



53" x 8" x 4" (L/W/H)

**AMBER MODEL: TSB-5308A
AMBER/WHITE 50/50 MODEL TMB-5308AC**

TRITON 5-YEAR LIMITED WARRANTY

BULL-SHARK™ ***WRECKER BARS***



FULL-SIZE **LOW-PROFILE** **STROBE BARS**

TSB-5513 / TSB-5513A
TSB-6413 / TSB-6413A

FULL-SIZE 55-INCH & 64 INCH STROBE-LIGHT BARS



**LED TRAFFIC DIRECTOR
WITH STOP/TAIL/TURN
AND WHITE ALLEY AND
TAKE-DOWN LAMPS**



DIMENSIONS:

TSB-5513: 55" x 13" x 4" (L/W/H)

TSB-6413: 64" x 13" x 4" (L/W/H)

FEATURES:

- SAE Class 1
- 45 Selectable Flash Patterns Front & Rear
- COB High-Intensity LEDs
- 10 to 32 Volts
- Mounting Feet and Roof Ties
- Remote controller with display

Adjustable Spider Legs



**AERODYNAMIC SLEEK PROFILE
ADJUSTABLE SPIDER-LEGS
FOR FLEXIBLE MOUNTING
CONFIGURATION**



Triton 5-Year Limited Warranty