

HIGH-INTENSITY HEAVY DUTY WORK LAMPS

| Model # | Applications | Watts | Lumens | Pattern | Shape | Voltage | Page |
|------------------|--|-------|--------|---------|-----------|---------|------|
| TLL-9 | ATV/Small Truck/Lawnmower | 9 | 500 | Flood | Oval | 10-32V | 3 |
| TLL-9V | Forklift | 9 | 500 | Flood | Oval | 10-60V | 3 |
| TLL-11 | Motorcycle Van/Forklift/ATV | 12 | 800 | Spot | Rectangle | 10-32V | 3 |
| TLL-12 | Van/Forklift/ATV | 24 | 1500 | Flood | Square | 10-32V | 3 |
| TLL-14 | Small Truck/Van/Forklift/ATV | 12 | 900 | Flood | Square | 10-32V | 3 |
| TLL-15V | Forklift | 15 | 950 | Flood | Square | 10-60V | 23 |
| TLL-16S (Square) | Utility Truck/SUV/Van | 18 | 1260 | Flood | Square | 10-32V | 8 |
| TLL-16R (Round) | Utility Truck/SUV/Van | 18 | 1260 | Flood | Round | 10-32V | 3 |
| TLL-17R (Round) | Dozer/Heavy Construction/Utility Truck | 27 | 1660 | Flood | Round | 10-32V | 3 |
| TLL-17S (Square) | Dozer/Heavy Construction/Utility Truck | 27 | 1660 | Flood | Square | 10-32V | 3 |
| TLL-18F | Dozer/Heavy Utility Truck | 18 | 1260 | Flood | Round | 10-32V | 3 |
| TLL-19 | Dozer/Heavy Construction/Utility Truck | 45 | 3100 | Flood | Rectangle | 10-32V | 4 |

All Triton Work Lamps Carry a 10-Year Warranty

High Intensity Heavy Duty Work Lamps

| Model # | Applications | Watts | Lumens | Pattern | Shape | Voltage | Page |
|-----------------------------------|--|-------|--------|---------------------|-----------|---------|------|
| TLL-20 TLL-20C (Flood/Spot) | Utility Trucks/ Heavy Construction | 108 | 7500 | Flood Flood/Spot | Rectangle | 10-32V | 4 |
| TLL-21 | Forklift Reverse Blue Lamp | 10 | 750 | Blue Spot | Oval | 10-60V | 23 |
| TLL-22R | Forklift Safety Clearance | 6 | 180 | Red Line | Oval | 10-80V | 24 |
| TLL-23 | Work Lamp/ Driving Lamp | 25 | 2250 | Flood | Square | 10-32V | 4 |
| TLL-24R | Forklift Safety Clearance | 10 | 100 | Red Halo | Oval | 10-80V | 24 |
| TLL-25V | Forklift Driving Lamp | 25 | 2100 | Flood | Rectangle | 10-60V | 24 |
| TLL-27YW | Snow Plows/ Salt Spreaders | 27 | 2100 | Yellow White | Square | 10-32V | 19 |
| TLL-30 | Dozer/Heavy Utility Truck | 30 | 3000 | Flood | HEX | 10-32V | 4 |
| TLL-39 | Dozer/Heavy Construction/ AG Machines | 39 | 3900 | Flood | Oval | 10-32V | 4 |
| TLL-40H HEATED LENS | Snow Plows/ Salt Spreaders | 40 | 4100 | Flood | Square | 10-32V | 19 |
| TLL-48 | AG Machines | 48 | 3200 | 80 Degrees | Square | 10-32V | 8 |
| TLL-50 | AG Machines/ Mining | 50 | 3170 | 80 Degrees | Rectangle | 10-32V | 4 |
| TLL-54 | AG Machines/ Mining Dozer/Heavy | 54 | 3960 | 80 Degrees | Rectangle | 10-32V | 8 |
| TLL-65 | Construction/ AG Machines/ Mining | 65 | 4900 | Flood | Oval | 10-32V | 7 |
| TLL-70 | AG Machines/ Mining/Heavy Construction | 70 | 6300 | Combo | Round | 10-32V | 7 |
| TLL-70S | AG Machines/ Mining/Heavy Construction | 70 | 6000 | 80 Degrees | Square | 10-32V | 7 |
| TLL-108 | AG Machines/ Mining | 108 | 7920 | 80 Degrees | Rectangle | 10-32V | 8 |
| TLL-120SD | AG Machines/ Mining | 120 | 10200 | Flood | Square | 10-32V | 5 |
| TLL-130 | AG Machines/ Mining | 130 | 10140 | 80 Degrees | Round | 10-32V | 7 |

All Triton Work Lamps Carry a 10-Year Warranty



TLL-9V

- Super-white, 4x3 Watt High-Intensity CREE LEDs
- 3.5" x 3" x 2" Oval Aluminum Sealed Housing
- 10-60V
- Polycarbonate Lens
- 9 Watts Flood
- 500 Lumens



TLL-11

- Super-white, 4x3 Watt High-Intensity CREE LEDs
- 2.75" Square Cast Aluminum Sealed Housing
- 12-24V DC
- Polycarbonate Lens
- 12 Watts Flood
- 800 Lumens



TLL-12

- Super-white, 4x6 Watt High-Intensity CREE LEDs
- 3" x 3" x 1.5" Cast Aluminum Sealed Housing
- 10-32V
- Polycarbonate Lens
- 24 Watts Flood
- 1500 Lumens



TLL-14

- Super-white, 4x3 Watt High-Intensity CREE LEDs
- 2.5" Square Cast Aluminum Sealed Housing
- 10-32V DC
- Polycarbonate Lens
- 12 Watts Flood
- 900 Lumens



TLL-15V

- White, 5x3 Watt High-Intensity LEDs
- 4" Square Cast Aluminum Sealed Housing
- 10-60V DC
- Polycarbonate Lens
- 15 Watts Flood
- 950 Lumens



TLL-16S

- White, 6x3 Watt High-Intensity CREE LEDs
- 4" Square Cast Aluminum Sealed Housing
- 10-32V DC
- Polycarbonate Lens
- 18 Watts Flood
- 1260 Lumens



TLL-16R

- White, 6x3 Watt High-Intensity CREE LEDs
- 4" Round Cast Aluminum Sealed Housing
- 10-32V DC
- Polycarbonate Lens
- 18 Watts Flood
- 1260 Lumens



TLL-17R

- White, 9x3 Watt High-Intensity CREE LEDs
- 4" Round Cast Aluminum Sealed Housing
- 10-32V DC
- Polycarbonate Lens
- 27 Watts Flood
- 1660 Lumens



TLL-17S

- White, 9x3 Watt High-Intensity CREE LEDs
- 4" Square (R) Cast Aluminum Sealed Housing
- 10-32V DC
- Polycarbonate Lens
- 27 Watts Flood
- 1660 Lumens



TLL-18FF

- White, 6x3 Watt High-Intensity CREE LEDs
- 5" Round Cast Aluminum Sealed Housing
- 10-32V DC
- Polycarbonate Lens
- 18 Watts Flood
- 1260 Lumens



TLL-19

- Super-white, 15x3 Watt High-Intensity CREE LEDs
- 6"x4" Rectangle Cast Aluminum Sealed Housing
- 10-32V DC
- Polycarbonate Lens
- 45 Watts Flood
- 3100 Lumens



TLL-20C

- Super-white, 36x3 Watt High-Intensity CREE LEDs
- 9" x 5" Rectangle Cast Aluminum Sealed Housing
- 10-32V DC
- Polycarbonate Lens
- 108 Watts Flood
- 7500 Lumens



TLL-23

- 5x5 Watt High-Intensity CREE LEDs
- 5.5"x1.75"x3" Rectangle Cast Aluminum Sealed Housing
- 10-32V DC
- 2250 Lumens
- 180 Degree Mount Horizontal to Vertical



TLL-25V

- White, 5x5 Watt High-Intensity LEDs
- 4" Square CREE Cast Aluminum Sealed Housing
- 10-60V DC
- Polycarbonate Lens
- 25 Watts Flood
- 2100 Lumens



TLL-30

- White High-Intensity LEDs
- 4.5"x2"x5.5" Flood CREE Cast Aluminum Sealed Housing
- 10-32V
- Polycarbonate Lens
- 30 Watts Flood
- 3000 Lumens



TLL-39

- White, 13x3 Watt High-Intensity LEDs
- 5.5"x4"x3" Cast Aluminum Sealed Housing
- 10-32V DC
- Polycarbonate Lens
- 39 Watts Flood
- 3900 Lumens



TLL-50

- White, 13x5 Watt High-Intensity LEDs
- 7"x5"x3.5" Oval CREE Cast Aluminum Sealed Housing
- 10-32V DC
- Polycarbonate Lens
- 50 Watts Flood
- 4900 Lumens



TLL-70S

- White, 10x7 Watts High-Intensity CREE LEDs
- 7"x5"x3.5" Flood CREE Aluminum Sealed Cast
- 10-32V DC
- Polycarbonate Lens
- 70 Watts Flood
- 6000 Lumens



TLL-120-SD SUPER-DUTY 12,000 LUMENS WORK LAMP

FOR INTENSELY RUGGED
APPLICATIONS

- * MINING
- * CONSTRUCTION
- * AGRICULTURE



12,000
EFFECTIVE
LUMENS

12000 Lumens Super Duty Work Light

- Power : 120W 12pcs 10W CREE Leds
- Lumen: 12000LM
- Voltage: 10-30V DC
- Beam Pattern: Flood
- Dimensions: 7.5" x 5.5" x 6.5" (W/D/H)
- Color Temp : 6500K
- Waterproof: IP68
- Warranty 3 years
- Material: Diecast aluminum housing; PC Lens



TLL-400 SIDEKICK™ & TLL-700 SIDEWINDER™ 130 DEGREE DISPERSION WORKLAMPS



**TLL-400 SIDEKICK
WHITE 130 DEGREE WORKLAMP**



WIDE 130 DEGREE BEAM

- WIDE-BEAM 40 WATTS WORKLAMP
- RUGGED DIECAST ALUMINUM HOUSING
- POLYCARBONATE (PC) WRAPPED LENS
- STAINLESS STEEL BRACKET
- SEALED IP67 DESIGN
- 4,000 LUMENS FLOOD BEAM

TLL-700 SIDEWINDER MODELS

**TLL-700FA: WHITE WORKLAMP AND
AMBER WARNING STROBE**

**TLL-700FR: WHITE WORKLAMP AND
RED WARNING STROBE**

- 70 WATTS WORKLAMP
- 30 WATTS AMBER WARNING STROBE
- RUGGED DIECAST ALUMINUM HOUSING
- POLYCARBONATE (PC) WRAPPED LENS
- STAINLESS STEEL BRACKET
- SEALED IP67 DESIGN
- 3,450 LUMENS FLOOD BEAM

TRITON 3 YEAR LIMITED WARRANTY



**TLL-700 SIDEWINDER
WHITE 90 DEGREE WORKLAMP
WITH AMBER OR RED STROBE**



HEAVY-DUTY LED WORK LAMPS FOR MINING, AG & CONSTRUCTION

COMMON FEATURES

Die Cast, Aluminum Alloy Body, Lexan Polycarbonate Lens, CE/E-mark Certified
9-36 Volts DC, 10-Year Warranty



TLL-70S

White, 14x5 Watts
High-Intensity CREE LEDs
Aluminum Sealed Square Cast
10-32V Polycarbonate Lens
70 Watts Flood
4000 Lumens
Waterproof IP68 Rating



TLL-65

White, 13x5 Watt
High-Intensity CREE LEDs
7"x5"x3" Oval Cast Aluminum Sealed Housing
10-32V
Polycarbonate Lens
65 Watts Flood
4900 Lumens



TLL-120-SD (SUPER-DUTY)

12x 10W CREE LEDs
IP68 Sealed Rating
Intensity: 12,000 Lumens
60 Degree Flood Beam
Dimensions: 6" x 7" x 5" H/W/D



TLL-130

13x10W CREE LEDs
IP68 Sealed Rating
Intensity: 10,140 Lumens
10/60 Degrees Spot/Flood Beam
Dimensions: 9" x 8" x 5-3/4" (H/W/D)



TLL-70

7x10W CREE LEDs
IP68 Sealed Rating
Intensity: 6,300 Lumens
10/60 Degrees Spot/Flood Beam
Dimensions: 7" x 6" x 3.5" (H/W/D)

All Triton Work Lamps Carry a 10-Year Warranty

WIDE-ANGLE LED WORK LAMPS FOR AGRICULTURAL MACHINERY



TLL-16S



- Dimensions: 4.5" x 3" x 2" (W/H/D)
- 6x3W LEDs (18 Watts)
- 12/24 Volts
- 80 Degrees AG-Flood Beam
- 1,260 Lumens

TLL-48



- Dimensions: 5.5" x 5" x 2" (W/H/D)
- 16 pcs 3W LEDs (48 Watts)
- 12/24 Volts
- 80 Degrees AG-Flood Beam
- 3,200 Lumens

TLL-54



- Dimensions: 7" x 3" x 1.5" (W/H/D)
- 18x3W LEDs (54 Watts)
- 12/24 Volts
- 80 Degrees AG-Flood Beam
- 3,960 Lumens

TLL-108



- Dimensions: 16" x 5" x 1-3/4" (W/H/D)
- 36 pcs 3W LEDs (108 Watts)
- 12/24 Volts
- 80 Degrees AG-Flood Beam
- 7,920 Lumens

All Triton Work Lamps Carry a 10-Year Warranty

SEAWOLF™

HEAVY-DUTY LED WORKLAMPS

FOR MARINE APPLICATIONS



TLL-10M



TLL-27M



TLL-70M



TLL-130M



TLB-80M



TLB-160M

| MODEL | LUMENS | WATTS | LEDS | SIZE H/W/D" | VOLTS | BEAM |
|----------|--------|-------|------|--------------------|-------|-------|
| TLL-10M | 900 | 10 | 1 | 3-1/2 x 2-1/2 x 3 | 10-32 | FLOOD |
| TLL-27M | 1,800 | 27 | 9 | 5 x 4-1/2 x 2 | 10-32 | FLOOD |
| TLL-27SM | 1,800 | 27 | 9 | 5 x 4-1/2 x 2 | 10-32 | SPOT |
| TLL-70M | 6,300 | 70 | 7 | 6-3/4 x 6 x 3-1/2 | 10-32 | COMBO |
| TLB-80M | 7,200 | 80 | 8 | 12 x 3-1/2 x 3-1/2 | 10-32 | COMBO |
| TLL-130M | 10,140 | 130 | 13 | 9 x 8 x 5-3/4 | 10-32 | COMBO |
| TLB-160M | 14,400 | 160 | 16 | 23 x 3-1/2 x 3-1/2 | 10-32 | COMBO |

COMMON FEATURES

- CREE LEDs
- Die Cast, Aluminum Alloy Body
- High-Impact Lexan Polycarbonate Anodized Lens
- White Polyester Powder Coating
- Waterproof IP68 Rating
- CE/E-mark Certified

All Triton Work Lamps Carry a 10-Year Warranty

RUGGED 60-DEGREE ANGLE LED WORK-LAMPS

IDEAL FOR WORK TRUCK, BOX TRUCK, RV OR BOAT



TLC-82 (WHITE ONLY)

- Dimensions: 8" x 1.5" x 1.5" (W/H/D)
- 6 pcs 3W SMD LEDs (18 Watts)
- Cast Aluminum Housing
- Intensity: 1,000 Lumens
- 12/24 Volts



TLC-93B (BLACK) TLC-93W (WHITE)

- Dimensions: 9" x 3" x 3" (L/H/D)
- 18 pcs 1W SMD LEDs (18 Watts)
- Cast Aluminum Housing Intensity:
- 1,450 Lumens
- 12/24 Volts



TLC-133B (BLACK) TLC-133W (WHITE)

- Dimensions: 13" x 3" x 3" (W/H/D)
- 27 pcs 1W SMD LEDs (27 Watts)
- Cast Aluminum Housing
- Intensity: 2,250 Lumens
- 12/24 Volts



Triton 5-Year Limited Warranty