

# LOW-PROFILE MINI STROBE-BARS TMB-107 AND TMB-127 SERIES

**HIGH INTENSITY SAE CLASS-1**  
**SLEEK DESIGN SUITS SMALLER VEHICLE APPLICATIONS**




Size: 10"x 7" x 2.5" (L/W/H)

## **RUGGED, SAE CLASS-1** **360 DEGREES HIGH INTENSITY**

- 40 High intensity LEDs
- Low current draw, high lumens output
- 10 to 30 Volts DC operation
- SAE J845 Class 1 certified (solid color)
- 20 Selectable flash patterns
- Last flash pattern memory
- ECE R65 & ECE10 approved
- Shatterproof polycarbonate lens
- ABS cover
- Polycarbonate aluminum-coated reflector
- 8ft Power cord

AMBER:   
FIXED MOUNT MODEL: TMB107A  
MAG MOUNT MODEL: TMB107AM


AMBER/CLEAR:   
FIXED MOUNT MODEL: TMB1007AC  
MAG-MOUNTMODEL: TMB107ACM



Size: 12"x 7" x 2" (L/W/H)

AMBER:   
MAG MOUNT MODEL: TMB127AM


AMBER/CLEAR:   
MAG-MOUNTMODEL: TMB127ACM



**TRITON 3-YEAR LIMITED WARRANTY**

# LED MINI LIGHT BAR TMB-117 SERIES

## SAE CLASS-1 MINI LIGHT BAR



**TBM-3/4  
OPTIONAL SIDE  
MIRROR MOUNTING  
BRACKET**

 **TMB-117AM**

 **TMB-117ACM**

 **TMB-117AGM**

### TYPICAL APPLICATIONS:

- UTILITY TRUCKS
- CONSTRUCTION TRUCKS.
- PICKUP TRUCKS.

### FEATURES:

- 10 Different, Selectable Flash Patterns.
- 80 COB High-Intensity LED's.
- Power Level: SAE Class-1.
- Voltage: 10 to 32 Volts DC.
- Polycarbonate clear cover.
- Strong base magnets.
- 10ft cord with cigar plug with on/off and flash pattern switches.

**TRITON 3-YEAR LIMITED WARRANTY**

# LED MINI ROTATING STROBE LIGHT BAR TMB-126AM & TLP-126ARC

**TLP-126ARC**



**SIZE: 12" X 6" X 3" (L/W/H)**

## **RECHARGEABLE - MAGNETIC**

CERTIFICATION	SAE, ECE, EMC, RIO, CE, ROHS
OPERATING VOLTAGE	12-32 V
LED POWER	30 W
WATERPROOF	IP67
TYPE	BASE MOUNT
FLASH PATTERNS	5 Modes Flash & 5 Modes Rotation
LED COLOR	Amber
LED QUANTITY	84 PCS
OPERATING TEMP.	-40C - 65C
SIZE	12"x 6"x 2" (L/D/H)
CHARGING TIME	4.5 Hours
DISCHARGING TIME	6.5 Hours

**WIRELESS - MAGNETIC - RECHARGEABLE  
FULLY REMOTE CONTROLLED  
MODEL TLP-126ARC**

**TMB-126AM**



**SIZE: 12" X 6" X 3" (L/W/H)**

## **MAGNETIC ROTATING STROBE BAR**

CERTIFICATION	SAE, ECE R65, EMC, R10
OPERATING VOLTAGE	12-32 V
LED POWER	38 W
WATERPROOF	IP67
TYPE	Magnetic Mount
FLASH PATTERNS	5 Modes Flash & 5 Modes Rotation
LED COLOR	Amber
LED QUANTITY	84 PCS
OPERATING TEMP.	-40C - 65C
SIZE	12"x 6"x 2" (L/D/H)
CHARGING TIME	4.5 Hours
DISCHARGING TIME	6.5 Hours

**STROBING AND ROTATING FEATURES  
MODEL: TMB-126AM**

**TRITON 3-YEAR LIMITED WARRANTY**

# LED MINI LIGHT BAR

## TMB-137 SERIES

### SAE CLASS-1 MINI LIGHT BAR



**SIZE: 13" X 7" X 3" (L/W/H)**

 **TMB-137AM**

 **TMB-137ACM**

 **TMB-137AGM**

#### TYPICAL APPLICATIONS:

- UTILITY TRUCKS
- CONSTRUCTION TRUCKS.
- PICKUP TRUCKS.

#### FEATURES:

- 10 Different, Selectable Flash Patterns.
- 48 High-Intensity LED's
- Power Level: SAE Class-1.
- Voltage: 10 to 32 Volts DC.
- Polycarbonate clear cover.
- Strong base magnets.
- 10ft cord with cigar plug with on/off and flash pattern switches.

**TRITON 3-YEAR LIMITED WARRANTY**



# LED MINI LIGHT BAR TMB-159 SERIES




**ACTUAL SIZE: 15" x 9" x 3" (W/D/H)**

## **RUGGED, SAE CLASS-1 360 DEGREES HIGH INTENSITY**

- Low current draw, high lumens output
- 10 to 30 Volts DC operation
- SAE J845 Class 1 certified
- 10 Selectable flash patterns
- Shatterproof polycarbonate lens and base
- Polycarbonate aluminum-coated reflector
- 8ft Power cord
- Reverse polarity protected
- Four studs or magnet mount



- AMBER FIXED MOUNT MODEL: TMB-159A**
- AMBER MAGNET MOUNT MODEL: TMB-159AM**
- AMBER/CLEAR FIXED MOUNT MODEL: TMB-159AC**
- AMBER/CLEAR MAGNET MOUNT MODEL: TMB-159ACM**
- RED FIXED/MAGNET MOUNT MODEL: TMB-159R/RM**
- RED/CLEAR FIXED/MAGNET MOUNT MODEL: TMB-159RC/RCM**
- AMBER/GREEN FIXED/MAGNET MOUNT MODEL: TMB-159AGM**



**· TRITON 3-YEAR LIMITED WARRANTY**

# 18-INCH LED MINI LIGHT BAR

## TMB-1812

18" x 12" SAE CLASS-1

LED MINI LIGHT BAR

**ADJUSTABLE SPIDER-LEGS**

**FOR FLEXIBLE MOUNTING CONFIGURATION.**



### FEATURES:

- 11 Different Selectable Flash Patterns
- 38 COB High-Intensity LED's.
- Power Level: SAE Class-1.
- Voltage: 10 to 32 Volts DC.
- Base and Mounting Feet: Aluminum

### TYPICAL APPLICATIONS:

- UTILITY TRUCKS
- CONSTRUCTION TRUCKS.
- PICKUP TRUCKS.

AMBER MODEL: TMB-1812A

AMBER/WHITE MODEL: TMB-1812AC

TRITON 5-YEAR LIMITED WARRANTY